| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| S2 | 105 | wang.in. and (nanometer and graphite) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/12 15:50 |
| S3 | 1 | wang.in. and (nanometer and graphite and silicon oxide and ferric oxide) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/08/24 10:47 |
| S5 | 49 | (nanometer or nm or submicron or nanoplate or nanoplatelet) and graphite and silicon oxide and ferric oxide | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:11 |
| S6 | 12 | (nanometer or nm or submicron or nanoplate or nanoplatelet) and graphite and silicon oxide and ferric oxide and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:09 |
| S7 | 37 | (nanometer or nm or submicron or nanoplate or nanoplatelet) and graphite and silicon near2 oxide and ferric near2 oxide and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:14 |
| S8 | 25 | S7 not S6 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:05 |
| S9 | 14 | (nanometer or nm or submicron or nanoplate or nanoplatelet) and graphite and silicon oxide and ferric oxide and (lubricate or lubricating or lubricant or oil) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:10 |
| S10 | 2 | S9 not S6 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:11 |
| S11 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet) and graphite and silicon oxide and ferric oxide | EPO; JPO; DERWENT | ADJ | ON | 2006/07/12 16:11 |
| S12 | 1 | (nanometer or nm or submicron or nanoplate or nanoplatelet) and graphite and silicon oxide and ferric oxide and 508/127.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:12 |
| S13 | 135 | (nanometer or nm or submicron or nanoplate or nanoplatelet) and silicon oxide and ferric oxide | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:42 |

| | | | | | | r |
|-----|------|---|---|-------------|-----|------------------|
| S14 | 9 | (nanometer or nm or submicron or nanoplate or nanoplatelet) same silicon oxide and ferric oxide same (nanometer or nm or submicron or nanoplate or nanoplatelet) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:13 |
| S15 | 39 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) and graphite and silicon near2 oxide and ferric near2 oxide and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:00 |
| S16 | 2 | S15 not S7 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:15 |
| S17 | 33 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) and silicon oxide and ferric oxide and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 10:52 |
| S18 | 0 | ("2005/0130851").URPN. | USPAT | OR | OFF | 2006/07/12 16:34 |
| S19 | 3 | (nanometer or nm or submicron or nanoplate or nanoplatelet) and silicon oxide and ferric oxide | EPO; JPO; DERWENT | ADJ | ON | 2006/07/12 16:42 |
| S20 | 720 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same graphite and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:46 |
| S21 | 67 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same graphite and (lubricate or lubricating or lubricant) and (silicon oxide or ferric oxide) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/12 16:46 |
| S22 | 25 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same graphite and (lubricate or lubricating or lubricant) and silicon oxide and (iron oxide or ferric oxide) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 10:52 |
| S23 | 1328 | wang.in. and (nanometer) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 15:57 |

| S24 | 1 | wang.in. and (nanometer or nm or submicron) and (graphite and silicon oxide and ferric oxide) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 15:58 |
|-----|-----|---|---|-----|----|------------------|
| S25 | 58 | (lubricate or lubricating or lubricant) and silicon oxide and ferric oxide | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 15:59 |
| S26 | 32 | (lubricate or lubricating or lubricant) and silicon oxide and ferric oxide and (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 16:28 |
| S27 | 32 | (lubricate or lubricating or lubricant) and (silicon or silica or silcate) adj oxide and ferric oxide and (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 16:28 |
| S28 | 0 | S27 not S26 | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 16:28 |
| S29 | 183 | (lubricate or lubricating or lubricant) and (silicon or silica or silcate) near3 oxide and ferric near3 oxide and (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 16:29 |
| S30 | 15 | (lubricate or lubricating or lubricant) and (silicon or silica or silcate) near3 oxide and ferric near3 oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 16:34 |
| S31 | 13 | S30 not S26 | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 16:29 |
| S32 | 162 | (lubricate or lubricating or lubricant) and (silicon or silica or silcate) near3 oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) and (ferric or iron) near3 oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/07/25 16:35 |

| | | | | · · · · · · · · · · · · · · · · · · · | T | |
|-----|-----|---|---|---------------------------------------|----|------------------|
| S33 | 162 | (lubricate or lubricating or lubricant) and (silicon or silica or silcate) near3 oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) and (ferric or iron) near3 oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/25 16:35 |
| S34 | 91 | (lubricate or lubricating or lubricant) and (silicon or silica or silcate) near2 oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) and (ferric or iron) near2 oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/25 16:35 |
| S35 | 25 | (lubricate or lubricating or lubricant) and (silicon or silica or silcate) adj oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) and (ferric or iron) adj oxide same (nanometer or nanosphere or nm or nanoplate or nanoplatelet or submicron or nanotube) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/25 16:54 |
| S36 | 0 | cn-1441147-\$.did. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/25 16:56 |
| S37 | 0 | cn-1270188-\$.did. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/07/25 16:56 |
| S38 | 108 | wang.in. and (nanometer and graphite) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/08/24 10:47 |
| S40 | 70 | wang.in. and (nanometer and graphite and (silicon or ferric)) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/08/24 10:48 |
| S41 | 12 | wang.in. and (nanometer and graphite and (silicon or ferric)) and (lubricate or lubricating or lubricated) | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | ON | 2006/08/24 10:52 |

| S42 | 1548 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same (graphite or iron oxide or ferric oxide or silicon oxide) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 10:53 |
|-----|------|---|-------------------------------|-----|----|------------------|
| S44 | 342 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (graphite or iron oxide or ferric oxide or silicon oxide) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 10:55 |
| S45 | 323 | (nanometer or nm or submicron or nanoplate or nanoplatelet or nanotube or nanostructure) near5 (graphite or iron oxide or ferric oxide or silicon oxide) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 10:54 |
| S46 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (graphite and (iron oxide or ferric oxide or silicon oxide)) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 10:55 |
| S47 | 90 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same (graphite and (iron oxide or ferric oxide or silicon oxide)) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 10:55 |
| S48 | 8 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near7 (graphite and (iron oxide or ferric oxide or silicon oxide)) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 12:06 |
| S49 | 1 | CN-1270188-\$.did. | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/24 11:56 |
| S50 | 0 | "WO-2001017716."\$.did. | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/24 11:56 |

| S52 | 4 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near7 ((iron oxide or ferric oxide) and silicon oxide) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 12:07 | | |
|-----|------|--|------------------------------|-----|----|------------------|--|--|
| S53 | 269 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near7 (graphite) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/24 12:08 | | |
| S54 | 4478 | wax near5 lubricant | USPAT | ADJ | ON | 2006/08/29 19:46 | | |
| S55 | 5 | wax near4 lubricant near4 thickening | USPAT | ADJ | ON | 2006/08/29 19:45 | | |
| S56 | 3974 | wax near4 lubricant | USPAT | ADJ | ON | 2006/08/29 19:45 | | |
| S57 | 528 | wax near4 lubricant near3 oil | USPAT | ADJ | ON | 2006/08/29 20:00 | | |
| S58 | 127 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 carbon and metallurgical | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:01 | | |
| S59 | 12 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 carbon and metallurgical and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:03 | | |
| S60 | 6 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 carbon and powder metallurgy and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:34 | | |
| S61 | 728 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 carbon and carbon near5 flow | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:06 | | |
| S62 | 65 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 carbon and carbon near5 flow and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:14 | | |
| S63 | 146 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 carbon and flow (property or properties) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:15 | | |

| S64 | 53 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 carbon and flow (property or properties) and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:24 |
|-----|-----|---|---|-----|-----|------------------|
| S65 | 1 | ("20050130851").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/08/29 20:24 |
| S66 | 2 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 carbon and metalworking and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/29 20:34 |
| S67 | 527 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 clay | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 10:52 |
| S68 | 114 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 clay and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 10:58 |
| S69 | 33 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 clay and (lubricate or lubricant or lubricating) and (ferric oxide or iron oxide or graphite or black lead or plumbago or hexagonal near2 carbon) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 10:57 |
| S70 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 clay and (lubricate or lubricant or lubricating) and (ferric oxide or iron oxide or graphite or black lead or plumbago or hexagonal near2 carbon) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/30 10:57 |
| S71 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 clay and (lubricate or lubricant or lubricating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/30 10:57 |
| S72 | 87 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 clay | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/30 12:45 |

| | · · · · · · · · · · · · · · · · · · · | | _ | Y | | 1 |
|-----|---------------------------------------|---|-------------------------------|-----|----|------------------|
| S73 | 3289 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicate or quartz) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 10:58 |
| S74 | 257 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicate or quartz) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 10:58 |
| S75 | 78 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicate or quartz) and (lubricate or lubricating or lubricant) and (iron oxide or ferric oxide or graphite or black lead or plumbago or hexagonal carbon) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 10:59 |
| S76 | 3 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicate or quartz) and (lubricate or lubricating or lubricant) and (iron oxide or ferric oxide or graphite or black lead or plumbago or hexagonal carbon) near5 (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 11:03 |
| S77 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicate or quartz) and (lubricate or lubricating or lubricant) and (iron oxide or ferric oxide or graphite or black lead or plumbago or hexagonal carbon) near5 (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/30 11:03 |
| S78 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicate or quartz) and (lubricate or lubricating or lubricant) and (iron oxide or ferric oxide or graphite or black lead or plumbago or hexagonal carbon) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/30 11:03 |

| | | | <u> </u> | | | |
|-----|------|---|---|-------------|-----|--|
| S79 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicate or quartz) and (lubricate or lubricating or lubricant) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/30 11:03 |
| S80 | 326 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicate or quartz) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/30 11:03 |
| S81 | 11 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (black lead or plumbago or hexagonal near3 carbon) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2006/08/30 11:05 |
| S82 | 148 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (black lead or plumbago or hexagonal near3 carbon) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 11:05 |
| S83 | 7 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (black lead or plumbago or hexagonal near3 carbon) and (lubricate or lubricating or lubricant) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 11:08 |
| S84 | 1 | ("20040209782").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/08/30 11:25 |
| S85 | 1 | ("20050124504").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/08/30 11:25 |
| S86 | 8701 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (ferric oxide or silicon oxide) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:46 |

| S87 | 8661 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (ferric oxide or silicon oxide) and (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicon oxide) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:47 |
|-----|------|---|------------------------------|-----|----|------------------|
| S88 | 57 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (ferric oxide or silicon oxide) and (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicon oxide) and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:47 |
| S89 | 40 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near4 (ferric oxide or silicon oxide) and (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near4 (silicon oxide) and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:54 |
| S90 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near4 (ferric oxide or iron oxide) and (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near4 (silicon oxide) and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:54 |
| S91 | 0 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (ferric oxide or iron oxide) and (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicon oxide) and (lubricate or lubricant or lubricating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:54 |

| S92 | 6 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (ferric oxide or iron oxide) and (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) near5 (silicon oxide) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:55 |
|-----|-----|--|---|-----|-----|------------------|
| S93 | 150 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same (ferric oxide or iron oxide) and (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same (silicon oxide) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:55 |
| S94 | 25 | (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same (ferric oxide or iron oxide) and (nanometer or nm or submicron or nanoplate or nanoplatelet or sub micron or nanotube or nanostructure) same (silicon oxide) and (lubricating or lubricant or lubricate) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/08/30 12:56 |
| S95 | 35 | ("3357818" "3711274" "4316834" "4483905" "4676831" "4834800" "4909840" "5063011" "5108493" "5134039" "5154881" "5198137" "5225459" "5298055" "5328500" "5368630" "5368812" "5541006" "5603075").PN. OR ("5782954"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/08/30 13:12 |
| S96 | 12 | S95 and oil | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/08/30 13:42 |
| S97 | 64 | "5368630" | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/08/30 13:43 |
| S98 | 1 | "5368630".pn. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/08/30 15:43 |
| S99 | 1 | ("6944930").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/08/30 15:48 |

| S10 0 | 10534 | polyamide near4 synthetic | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/08/30 15:48 |
|----------|---------|-------------------------------|---|-----|-----|------------------|
| S10 1 | 1475589 | polyamide near4 synthetic oil | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/08/30 15:48 |
| S10 2 | 1 | polyamide near4 synthetic oil | US-PGPUB; USPAT; USOCR; EPO; JPO | ADJ | OFF | 2006/08/30 15:57 |
| S10 3 | 1 | ("5782954").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/08/30 15:57 |
| S10 4 | 1 | ("20040209782").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2006/08/30 15:57 |